

CEILING LIGHT



led commercial lighting series





JBR 20021

JBR 20022

Dimensions



Item No.	Chip	Watts	C.C.T	CRI	Lumens		Size (mm)	
JBR 20021	PHILIPS	8W	3000K 4000K 6000K	90+	848Lm	--	Ø76 H84	--°
JBR 20022	PHILIPS	8W	3000K 4000K 6000K	90+	848Lm	--	Ø76 H84	--°




JBR 20031





JBR 20032



Dimensions



Item No.	Chip	Watts	C.C.T	CRI	Lumens		Size (mm)	
JBR 20031	PHILIPS	8W	3000K 4000K 6000K	90+	848Lm	--	Ø76 H84	24°
JBR 20032	PHILIPS	8W	3000K 4000K 6000K	90+	848Lm	--	Ø76 H84	24°


CEILING LIGHT

led commercial lighting series



可訂製 CRI 97

Dimensions



JBR 20041B/W





JBR 20042B/W




JBR 20043B/W



Item No.	Chip	Watts	C.C.T	CRI	Lumens		Size (mm)	
JBR 20041B/W	PHILIPS	12W	3000K 4000K 6000K	90+	1272Lm	--	Ø73 H120	45°
JBR 20042B/W	PHILIPS	12W	3000K 4000K 6000K	90+	1272Lm	--	Ø73 H120	45°
JBR 20043B/W	PHILIPS	12W	3000K 4000K 6000K	90+	1272Lm	--	Ø73 H120	45°



Dimensions





JBR 20051B/W



JBR 20052B/W



JBR 20053B/W

Item No.	Chip	Watts	C.C.T	CRI	Lumens		Size (mm)	
JBR 20051B/W	PHILIPS	18W	3000K 4000K 6000K	90+	1908Lm	--	Ø94 H134	45°
JBR 20052B/W	PHILIPS	18W	3000K 4000K 6000K	90+	1908Lm	--	Ø94 H134	45°
JBR 20053B/W	PHILIPS	18W	3000K 4000K 6000K	90+	1908Lm	--	Ø94 H134	45°

CEILING LIGHT

led commercial lighting series



JBR 20061B/W



JBR 20062B/W

Dimensions



Item No.	Chip	Watts	C.C.T	CRI	Lumens	Size (mm)	▲
JBR 20061B/W	PHILIPS	12W	3000K 4000K 6000K	90+	1272Lm	Ø91 H110	30°
JBR 20062B/W	PHILIPS	20W	3000K 4000K 6000K	90+	2120Lm	Ø109 H116	30°



(可單獨更換模組)






JBR 20071

JBR 20072

Dimensions




Item No.	Chip	Watts	C.C.T	CRI	Lumens		Size (mm)
JBR 20071	三安 	8W	3000K 4000K	80+	880Lm	--	Ø82 H98
JBR 20072	三安 	8W	3000K 4000K	80+	880Lm	--	Ø82 H98

CEILING LIGHT

led commercial lighting series




Dimensions




Item No.	Chip	Watts	C.C.T	CRI	Lumens	Size (mm)	▲
JBR 20081B	PHILIPS	12W	3000K 4000K 6000K	90+	1272Lm	Ø100 H145	30°
JBR 20082W	PHILIPS	12W	3000K 4000K 6000K	90+	1272Lm	Ø100 H145	30°




JBR 20091




JBR 20092





JBR 20093 W/B



JBR 20094 W/B




Item No.	Chip	Watts	C.C.T	CRI	Lumens		Size (mm)	
JBR 20091	OSRAM	12W	3000K 4000K 6000K	80+	1296Lm	--	Ø116 H82	--
JBR 20092	OSRAM	12W	3000K 4000K 6000K	80+	1296Lm	--	Ø116 H82	--
JBR 20093W/B	PHILIPS	6W	3000K 4000K 6000K	90+	684Lm	--	Ø65 H71	36°
JBR 20094W/B	PHILIPS	10W	3000K 4000K 6000K	90+	1060Lm	--	Ø85 H81	36°

CEILING LIGHT

led commercial lighting series



Dimensions





JBR 20101

JBR 20102

JBR 20103


JBR 20104



Item No.	Chip	Watts	C.C.T	CRI	Lumens		Size (mm)	
JBR 20101	OSRAM	18W	3000K 4000K 6000K	80+	1944Lm	--	Ø134 H68	--
JBR 20102	OSRAM	18W	3000K 4000K 6000K	80+	1944Lm	--	Ø134 H68	--
JBR 20103	OSRAM	24W	3000K 4000K 6000K	80+	2592Lm	--	Ø163 H73	--
JBR 20104	OSRAM	24W	3000K 4000K 6000K	80+	2592Lm	--	Ø163 H73	--



Dimensions





JBR 20111

JBR 20112

JBR 20113

JBR 20114





Item No.	Chip	Watts	C.C.T	CRI	Lumens		Size (mm)	
JBR 20111	PHILIPS	12W	3000K 4000K 6000K	90+	1272Lm	--	L81 W81 H100	--
JBR 20112	PHILIPS	12W	3000K 4000K 6000K	90+	1272Lm	--	L81 W81 H100	--
JBR 20113	PHILIPS	12Wx2	3000K 4000K 6000K	90+	2544Lm	--	L155 W81 H100	--
JBR 20114	PHILIPS	12Wx2	3000K 4000K 6000K	90+	2544Lm	--	L155 W81 H100	--

CEILING LIGHT

led commercial lighting series



Dimensions





JBR 20121
(配置MR16)

JBR 20122
(配置MR16)

JBR 20123

JBR 20124



Item No.	Chip	Watts	C.C.T	CRI	Lumens		Size (mm)	
JBR 20121	PHILIPS	6W	3000K 4000K 6000K	90+	648Lm	--	Ø50 H150	25°
JBR 20122	PHILIPS	6W	3000K 4000K 6000K	90+	648Lm	--	Ø50 H150	25°
JBR 20123	PHILIPS	12W	3000K 4000K 6000K	90+	1272Lm	--	Ø75 H190	30°
JBR 20124	PHILIPS	12W	3000K 4000K 6000K	90+	1272Lm	--	Ø75 H190	30°






JBR 20131

JBR 20132



Dimensions



Item No.	Chip	Watts	C.C.T			CRI	Lumens		Size (mm)	
JBR 20131	PHILIPS	12W	3000K	4000K	6000K	90+	1272Lm	--	Ø136 H122	36°
JBR 20132	PHILIPS	12W	3000K	4000K	6000K	90+	1272Lm	--	Ø136 H122	36°

CEILING LIGHT


led commercial lighting series



(可單獨更換模組)




Dimensions






JBR 20141



JBR 20142



Item No.	Chip	Watts	C.C.T	CRI	Lumens		Size (mm)
JBR 20141	三安 	16W	3000K 4000K	80+	1760Lm	--	L197 W100 H92
JBR 20142	三安 	16W	3000K 4000K	80+	1760Lm	--	L197 W100 H92





JBR 20151






JBR 20152

(可單獨更換模組)

Dimensions



Item No.	Chip	Watts	C.C.T	CRI	Lumens		Size (mm)
JBR 20151	三安 	8W	3000K 4000K	80+	880Lm	--	L100 W100 H92
JBR 20152	三安 	8W	3000K 4000K	80+	880Lm	--	L100 W100 H92

CEILING LIGHT


led commercial lighting series





JBR 20161

JBR 20162

Dimensions



Item No.	Chip	Watts	C.C.T	CRI	Lumens		Size (mm)	
JBR 20161	PHILIPS	12W	3000K 4000K 6000K	90+	1272Lm	--	W98 H100	30°
JBR 20162	PHILIPS	12W	3000K 4000K 6000K	90+	1272Lm	--	W98 H100	30°






JBR 20171



JBR 20172

Dimensions





Item No.	Chip	Watts	C.C.T	CRI	Lumens		Size (mm)	
JBR 20171	PHILIPS	24W	3000K 4000K 6000K	90+	2544Lm	--	L192 W98 H100	30°
JBR 20172	PHILIPS	24W	3000K 4000K 6000K	90+	2544Lm	--	L192 W98 H100	30°

CEILING LIGHT

led commercial lighting series



Dimensions



JBR 20181B
可訂製 CRI 97

JBR 20182B
可訂製 CRI 97

JBR 20183B



JBR 20181W
可訂製 CRI 97

JBR 20182W
可訂製 CRI 97

JBR 20183W



Item No.	Chip	Watts	C.C.T	CRI	Lumens		Size (mm)	
JBR 20181B/W	PHILIPS	12W	3000K 4000K 6000K	90+	1272Lm	--	Ø84 H85	30°
JBR 20182B/W	PHILIPS	16W	3000K 4000K 6000K	90+	1696Lm	--	Ø102 H105	30°
JBR 20183B/W	PHILIPS	20W	3000K 4000K 6000K	90+	2120Lm	--	Ø128 H135	30°






JBR 20191B
JBR 20191W



JBR 20192B
JBR 20192W

Dimensions



Item No.	Chip	Watts	C.C.T	CRI	Lumens		Size (mm)	
JBR 20191B/W	PHILIPS	30W	3000K 4000K 6000K	90+	3180Lm	--	Ø159 H141	30°
JBR 20192B/W	PHILIPS	45W	3000K 4000K 6000K	90+	4770Lm	--	Ø190 H184	30°

配置PHILIPS變壓器


DOWN LIGHT

led commercial lighting series







JBR 20211



JBR 20212





JBR 20213



Dimensions



BK

Item No.	Chip	Watts	C.C.T	CRI	Lumens		Size (mm)	
JBR 20211	PHILIPS	5W	3000K 4000K 6000K	90+	530Lm	L60 W60	L58 W58 H56	24°
JBR 20212	PHILIPS	10W	3000K 4000K 6000K	90+	1060Lm	L120 W60	L118 W58 H56	24°
JBR 20213	PHILIPS	25W	3000K 4000K 6000K	90+	2650Lm	L300 W60	L298 W58 H56	24°

DOWN LIGHT

led commercial lighting series



旋轉式面蓋
不易鬆脫 易拆裝
(取代傳統固定鐵環)



JBR 20221

尺寸 : L83 W83 H80mm
開孔 : L85 W85mm
(可訂製白色)



JBR 20222

尺寸 : L168 W83 H100mm
開孔 : L170 W 85mm
(可訂製白色)



JBR 20223

尺寸 : L248 W83 H100mm
開孔 : L250 W85mm
(可訂製白色)



JBR 20224

尺寸 : L111 W111 H80mm
開孔 : L95 W95mm



JBR 20225

尺寸 : L197 W111 H100mm
開孔 : L180 W95mm



JBR 20226

尺寸 : L276 W111 H100mm
開孔 : L260 W95mm



JBR 20231

尺寸 : L98 W98 H100mm
開孔 : L100 W100mm
(可訂製白色)



JBR 20232

尺寸 : L198 W98 H100mm
開孔 : L200 W100mm
(可訂製白色)



JBR 20233

尺寸 : L298 W98 H100mm
開孔 : L300 W100mm
(可訂製白色)



JBR 20234

尺寸 : L130 W130 H100mm
開孔 : L110 W110mm



JBR 20235

尺寸 : L230 W130 H100mm
開孔 : L210 W110mm



JBR 20236

尺寸 : L330 W130 H100mm
開孔 : L310 W110mm



M101

光源 : **OSRAM**
尺寸 : Ø49 H34mm
功率 : 5W
通光量 : 540 Lm
光色 : 3000K / 4000K / 6000K
材質 : 鋁材
演色性 : CRI > 80
可選黑殼 / 白殼



MR16

光源 : **PHILIPS**
尺寸 : Ø49 H61mm
功率 : 6W
通光量 : 636 Lm
光色 : 3000K / 4000K / 6000K
材質 : 鋁材
發光角度 : 25°
演色性 : CRI > 90
可選槍灰 / 白殼



M65 可訂製 CRI 97

光源 : **PHILIPS**
尺寸 : Ø50 H65mm
功率 : 8W
通光量 : 848 Lm
光色 : 3000K / 4000K / 6000K
材質 : 壓鑄鋁
發光角度 : 24°/36°
演色性 : CRI > 90



M90 可訂製 CRI 97

光源 : **PHILIPS**
尺寸 : Ø50 H90mm
功率 : 12W
通光量 : 1272 Lm
光色 : 3000K / 4000K / 6000K
材質 : 壓鑄鋁
發光角度 : 24°/36°
演色性 : CRI > 90

AR80 DOWN LIGHT

led commercial lighting series



JBR 20241

尺寸 : L118 W118 H118mm
開孔 : L120 W120mm



JBR 20242

尺寸 : L238 W118 H118mm
開孔 : L240 W120mm



JBR 20243

尺寸 : L358 W118 H118mm
開孔 : L340 W120mm



JBR 20244

尺寸 : L150 W150 H120mm
開孔 : L130 W130mm



JBR 20245

尺寸 : L270 W150 H120mm
開孔 : L250 W130mm



JBR 20246

尺寸 : L390 W150 H120mm
開孔 : L350 W130mm



JBR AR80W

光源 : **PHILIPS**
功率 : 15W
流明 : 1680lm CRI:90
色温 : 3000K/4000K/6000K
尺寸 : \varnothing 75xH78mm
材質 : 壓鑄鋁



JBR AR80B

光源 : **PHILIPS**
功率 : 15W
流明 : 1680lm CRI:90
色温 : 3000K/4000K/6000K
尺寸 : \varnothing 75xH78mm
材質 : 壓鑄鋁

AR111 DOWN LIGHT

led commercial lighting series



JBR 20251

尺寸 : L148 W148 H100mm
開孔 : L150 W150mm



JBR 20252

尺寸 : L298 W148 H100mm
開孔 : L300 W150mm



JBR 20253

尺寸 : L448 W148 H100mm
開孔 : L450 W150mm



JBR 20254

尺寸 : L176 W176 H100mm
開孔 : L160 W160mm



JBR 20255

尺寸 : L327 W176 H100mm
開孔 : L310 W160mm



JBR 20256

尺寸 : L477 W176 H100mm
開孔 : L460 W160mm



JA 12238 B/W

光源 : **PHILIPS**
尺寸 : Ø111 H50mm
功率 : 12W
通光量 : 1272 Lm
光色 : 3000K/ 4000K/ 6000K
材質 : 鋁材
發光角度 : 36°
演色性 : CRI>90
可選黑殼 / 白殼



JA 1662 B/W

光源 : **PHILIPS**
尺寸 : Ø111 H50mm
功率 : 16W
通光量 : 1696 Lm
光色 : 3000K/ 4000K/ 6000K
材質 : 鋁材
發光角度 : 24°
演色性 : CRI>90
可選灰殼 / 白殼

DOWN LIGHT

led commercial lighting series



(前置式)



JBR 20261

尺寸 : L110 W110 H25mm
開孔 : L100 W100mm



JBR 20262

尺寸 : L196 W110 H25mm
開孔 : L185 W100mm



JBR 20263

尺寸 : L280 W110 H25mm
開孔 : L270 W100mm



JBR 20264

尺寸 : L110 W110 H25mm
開孔 : L100 W100mm



JBR 20265

尺寸 : L196 W110 H25mm
開孔 : L185 W100mm



JBR 20266

尺寸 : L280 W110 H25mm
開孔 : L270 W100mm

(後置式)



JBR 20271

尺寸 : L110 W110 H25mm
開孔 : L100 W100mm



JBR 20272

尺寸 : L196 W110 H25mm
開孔 : L185 W100mm



JBR 20273

尺寸 : L280 W110 H25mm
開孔 : L270 W100mm



JBR 20274

尺寸 : L110 W110 H25mm
開孔 : L100 W100mm



JBR 20275

尺寸 : L196 W110 H25mm
開孔 : L185 W100mm



JBR 20276

尺寸 : L280 W110 H25mm
開孔 : L270 W100mm



M101

光源 : **OSRAM**
尺寸 : Ø49 H34mm
功率 : 5W
通光量 : 540 Lm
光色 : 3000K / 4000K / 6000K
材質 : 鋁材
演色性 : CRI > 80
可選黑殼 / 白殼



MR90

光源 : **PHILIPS**
尺寸 : Ø49 H61mm
功率 : 6W
通光量 : 636 Lm
光色 : 3000K / 4000K / 6000K
材質 : 壓鑄鋁
發光角度 : 25°
演色性 : CRI > 90
可選黑殼 / 白殼



M65 可訂製 CRI 97

光源 : **PHILIPS**
尺寸 : Ø50 H65mm
功率 : 8W
通光量 : 848 Lm
光色 : 3000K / 4000K / 6000K
材質 : 壓鑄鋁
發光角度 : 24°/36°
演色性 : CRI > 90



M90 可訂製 CRI 97


光源 : **PHILIPS**
尺寸 : Ø50 H90mm
功率 : 12W
通光量 : 1272 Lm
光色 : 3000K / 4000K / 6000K
材質 : 壓鑄鋁
發光角度 : 24°/36°
演色性 : CRI > 90

TRACK LIGHT

led commercial lighting series




Dimensions



JBR 20281



JBR 20282



Item No.	Chip	Watts	C.C.T	CRI	Lumens	Size (mm)	▲
JBR 20281	PHILIPS	8W	3000K 4000K 6000K	90+	848Lm	Ø135 H120	36°
JBR 20281	PHILIPS	8W	3000K 4000K 6000K	90+	848Lm	Ø135 H120	36°




JBR 20291



JBR 20292



Dimensions




Item No.	Chip	Watts	C.C.T	CRI	Lumens	Size (mm)	▲
JBR 20291	PHILIPS	8W	3000K 4000K 6000K	90+	848Lm	Ø75 H210mm	36°
JBR 20292	PHILIPS	8W	3000K 4000K 6000K	90+	848Lm	Ø75 H210mm	36°

TRACK LIGHT

led commercial lighting series



Dimensions



JBR 20301



JBR 20302



Item No.	Chip	Watts	C.C.T	CRI	Lumens	Size (mm)	▲
JBR 20301	OSRAM	10W	3000K 4000K	80+	1080Lm	L275 W34 H68	30°
JBR 20302	OSRAM	10W	3000K 4000K	80+	1080Lm	L275 W34 H68	30°

此系列為二線式軌道燈



JBR 20311



JBR 20312





JBR 20313



JBR 20314

Dimensions



Item No.	Chip	Watts	C.C.T	CRI	Lumens		Size (mm)
JBR 20311	OSRAM	10W	3000K 4000K	80+	1080Lm	--	L275 W34 H68
JBR 20312	OSRAM	10W	3000K 4000K	80+	1080Lm	--	L275 W34 H68
JBR 20313	OSRAM	15W	3000K 4000K	80+	1620Lm	--	L405 W34 H68
JBR 20314	OSRAM	15W	3000K 4000K	80+	1620Lm	--	L405 W34 H68


此系列為二線式軌道燈

TRACK LIGHT

led commercial lighting series



Dimensions



JBR 20321



JBR 20322



Item No.	Chip	Watts	C.C.T	CRI	Lumens	Size (mm)	▲
JBR 20321	PHILIPS	18W	3000K 4000K 6000K	90+	1908Lm	Ø70 L155	36°
JBR 20322	PHILIPS	18W	3000K 4000K 6000K	90+	1908Lm	Ø70 L155	36°






JBR 20331



JBR 20332

Dimensions



Item No.	Chip	Watts	C.C.T			CRI	Lumens		Size (mm)	
JBR 20331	PHILIPS	8W	3000K	4000K	6000K	90+	848Lm	--	Ø55 L143 H170	36°
JBR 20332	PHILIPS	8W	3000K	4000K	6000K	90+	848Lm	--	Ø55 L143 H170	36°

TRACK LIGHT

led commercial lighting series




Dimensions



JBR 20341B/W





JBR 20342B/W



Item No.	Chip	Watts	C.C.T	CRI	Lumens	Size (mm)	▲
JBR 20341B/W	PHILIPS	15W	3000K 4000K 6000K	90+	1590Lm	Ø55 L150	24 / 60°
JBR 20342B/W	PHILIPS	20W	3000K 4000K 6000K	90+	2120Lm	Ø65 L170	24 / 60°



Dimensions



JBR 20351B/W
可訂製 CRI 97

JBR 20352B/W
可訂製 CRI 97



Item No.	Chip	Watts	C.C.T	CRI	Lumens	Size (mm)	▲
JBR 20351B/W	PHILIPS	6W	3000K 4000K 6000K	90+	626Lm	Ø50 L118~135	15~60°
JBR 20352B/W	PHILIPS	12W	3000K 4000K 6000K	90+	1272Lm	Ø60 L135~160	15~60°



TRACK LIGHT

led commercial lighting series



可訂製 CRI 97

Dimensions



JBR 20361B/W




JBR 20362B/W



Item No.	Chip	Watts	C.C.T			CRI	Lumens	Size (mm)	▲
JBR 20361B/W	PHILIPS	10W	3000K	4000K	6000K	90+	1060Lm	Ø60 L128 H125	30°
JBR 20362B/W	PHILIPS	15W	3000K	4000K	6000K	90+	1590Lm	Ø65 L150 H140	30°




Dimensions



JBR 20371W




Dimensions



JBR 20371B




Dimensions



JBR 20372W



Dimensions



JBR 20372B



Item No.	Chip	Watts	C.C.T	CRI	Lumens	Size (mm)	▲
JBR 20371B/W	PHILIPS	10W	3000K 4000K 6000K	90+	1060Lm	Ø63 L105 H140	30°
JBR 20372B/W	PHILIPS	16W	3000K 4000K 6000K	90+	1696Lm	Ø75 L127 H182	30°

TRACK LIGHT

led commercial lighting series



JBR 20381



JBR 20382





JBR 20383



JBR 20384

Dimensions



Item No.	Chip	Watts	C.C.T	CRI	Lumens	Size (mm)	▲
JBR 20381	PHILIPS	8W	3000K 4000K 6000K	90+	848Lm	Ø54 L106 H95	36°
JBR 20382	PHILIPS	8W	3000K 4000K 6000K	90+	848Lm	Ø54 L106 H95	--
JBR 20383	PHILIPS	12W	3000K 4000K 6000K	90+	1272Lm	Ø74 L135 H115	36°
JBR 20384	PHILIPS	12W	3000K 4000K 6000K	90+	1272Lm	Ø74 L135 H115	--



JBR 20391



JBR 20392





JBR 20393



JBR 20394

Dimensions



Item No.	Chip	Watts	C.C.T	CRI	Lumens	Size (mm)	▲
JBR 20391	PHILIPS	8W	3000K 4000K 6000K	90+	848Lm	Ø54 L106 H95	36°
JBR 20392	PHILIPS	8W	3000K 4000K 6000K	90+	848Lm	Ø54 L106 H95	--
JBR 20393	PHILIPS	12W	3000K 4000K 6000K	90+	1272Lm	Ø74 L135 H115	36°
JBR 20394	PHILIPS	12W	3000K 4000K 6000K	90+	1272Lm	Ø74 L135 H115	--


TRACK LIGHT

led commercial lighting series





Dimensions



Item No.	Chip	Watts	C.C.T	CRI	Lumens	Size (mm)	▲
JBR 20411	PHILIPS	6W	3000K 4000K 6000K	90+	636Lm	Ø60 L110 H90	25°
JBR 20412	PHILIPS	6W	3000K 4000K 6000K	90+	636Lm	Ø60 L110 H90	25°
JBR 20413	PHILIPS	6W	3000K 4000K 6000K	90+	636Lm	Ø60 L110 H90	25°
JBR 20414	PHILIPS	6W	3000K 4000K 6000K	90+	636Lm	Ø60 L110 H90	25°

TRACK LIGHT

led commercial lighting series



JBR 20421W
(配置MR16)



JBR 20421B
(配置MR16)



JBR 20422W

JBR 20422B

Dimensions



Item No.	Chip	Watts	C.C.T	CRI	Lumens	Size (mm)	▲
JBR 20421B/W	PHILIPS	6W	3000K 4000K 6000K	90+	636Lm	Ø50 L105 H75	25°
JBR 20422B/W	OSRAM	12W	3000K 4000K 6000K	80+	1296Lm	Ø116 H92	--





JBR 20431B/W



JBR 20432B/W

Dimensions




Item No.	Chip	Watts	C.C.T	CRI	Lumens	Size (mm)	▲
JBR 20431B/W	PHILIPS	10W	3000K 4000K 6000K	90+	1060Lm	Ø55 H175	36°
JBR 20432B/W	PHILIPS	18W	3000K 4000K 6000K	90+	1980Lm	Ø60 H205	36°

TRACK LIGHT

led commercial lighting series



Dimensions



JBR 20441





JBR 20442



Item No.	Chip	Watts	C.C.T	CRI	Lumens	Size (mm)	▲
JBR 20441	PHILIPS	8W	3000K 4000K 6000K	90+	848Lm	Ø65 L70 H138	36°
JBR 20442	PHILIPS	8W	3000K 4000K 6000K	90+	848Lm	Ø65 L70 H138	36°



Dimensions



JBR 20451B/W

JBR 20452B/W




Item No.	Chip	Watts	C.C.T	CRI	Lumens	Size (mm)
JBR 20451B/W	OSRAM	8W	3000K 4000K 6000K	80+	846Lm	Ø98 L30 H105
JBR 20452B/W	OSRAM	12W	3000K 4000K 6000K	80+	1926Lm	Ø120 L30 H125

TRACK LIGHT

led commercial lighting series



Dimensions




JBR 20461B/W




JBR 20462B/W



Item No.	Chip	Watts	C.C.T	CRI	Lumens	Size (mm)	▲
JBR 20461B/W	PHILIPS	12W	3000K 4000K 6000K	90+	1272Lm	Ø94 H141mm	30°
JBR 20462B/W	PHILIPS	20W	3000K 4000K 6000K	90+	2120Lm	Ø109 H146mm	30°



Dimensions



Item No.	Chip	Watts	C.C.T	CRI	Lumens	Size (mm)	
JBR 20471B	PHILIPS	30W	3000K 4000K 6000K	90+	3180Lm	Ø93 L130 H240	▲ 38°
JBR 20471W	PHILIPS	30W	3000K 4000K 6000K	90+	3180Lm	Ø93 L130 H240	▲ 38°




配置PHILIPS變壓器

TRACK LIGHT

led commercial lighting series



Dimensions



JBR 20481B/W



JBR 20482B/W

Item No.	Chip	Watts	C.C.T	CRI	Lumens	Size (mm)	▲
JBR 20481B/W	PHILIPS	20W	3000K 4000K 6000K	90+	2120Lm	Ø95 L100 H170	24°/ 38°
JBR 20482B/W	PHILIPS	35W	3000K 4000K 6000K	90+	3710Lm	Ø105 L150 H170	24°/ 38°


JBR 20482B/W 配置PHILIPS變壓器



JBR 20492

JBR 20491

Dimensions



Item No.	Chip	Watts	C.C.T	CRI	Lumens	Size (mm)	▲
JBR 20491	PHILIPS	40W	3000K 4000K 6000K	90+	4240Lm	Ø99 L165 H195	40°
JBR 20492	PHILIPS	40W	3000K 4000K 6000K	90+	4240Lm	Ø99 L165 H195	40°


配置PHILIPS變壓器

DOWN LIGHT

led commercial lighting series



Dimensions






JBR 20501




JBR 20501




Item No.	Chip	Watts	C.C.T	CRI	Lumens		Size (mm)	
JBR 20501	PHILIPS	6W	3000K 4000K 6000K	90+	636Lm	Ø55	Ø76 H84	36°
JBR 20502	PHILIPS	6W	3000K 4000K 6000K	90+	636Lm	Ø55	Ø76 H84	36°



JBR 20511



JBR 20512





JBR 20513



Dimensions



Item No.	Chip	Watts	C.C.T	CRI	Lumens		Size (mm)	
JBR 20511	OSRAM	3W	3000K 4000K	80+	324Lm	Ø35	Ø40 H33	25°
JBR 20512	OSRAM	3W	3000K 4000K	80+	324Lm	Ø35	Ø40 H33	25°
JBR 20513	PHILIPS	6W	3000K 4000K 6000K	90+	636Lm	Ø45	Ø50 H66	24°

SPOT LIGHT

led commercial lighting series






JBR 20521



JBR 20522

Dimensions



Item No.	Chip	Watts	C.C.T	CRI	Lumens		Size (mm)	
JBR 20521	PHILIPS	10W	3000K 4000K 6000K	90+	1060Lm	Ø95	Ø105 H102	38°
JBR 20522	PHILIPS	10W	3000K 4000K 6000K	90+	1060Lm	Ø95	Ø105 H102	38°




JBR 20531





JBR 20532

Dimensions



Ø63~65




Item No.	Chip	Watts	C.C.T			CRI	Lumens		Size (mm)	
JBR 20531	PHILIPS	5W	3000K	4000K	6000K	90+	530Lm	Ø63~65	Ø73 H102	38°
JBR 20532	PHILIPS	5W	3000K	4000K	6000K	90+	530Lm	Ø63~65	Ø73 H102	38°

SPOT LIGHT

led commercial lighting series



Dimensions








JBR 20541




JBR 20542



Item No.	Chip	Watts	C.C.T	CRI	Lumens		Size (mm)	
JBR 20541	三安 	8W	3000K 4000K	80+	880Lm	Ø75	Ø83 H39mm	24°
JBR 20542	三安 	8W	3000K 4000K	80+	808Lm	Ø75	Ø83 H39mm	24°





Dimensions



JBR 20551

JBR 20552



Item No.	Chip	Watts	C.C.T			CRI	Lumens		Size (mm)	
JBR 20551	PHILIPS	8W	3000K	4000K	6000K	90+	848Lm	Ø75	Ø90 H63	38°
JBR 20552	PHILIPS	12W	3000K	4000K	6000K	90+	1272Lm	Ø95	Ø108 H75	38°

DOWN LIGHT

led commercial lighting series





Dimensions



JBR 20561



JBR 20562

Item No.	Chip	Watts	C.C.T			CRI	Lumens		Size (mm)	
JBR 20561	PHILIPS	12W	3000K	4000K	6000K	90+	1272Lm	Ø80	Ø87 H60	24°
JBR 20562	PHILIPS	18W	3000K	4000K	6000K	90+	1908Lm	Ø100	Ø107 H76	24°



JBR 20571






JBR 20572



可訂製 CRI 97

Dimensions



Item No.	Chip	Watts	C.C.T	CRI	Lumens		Size (mm)	
JBR 20571	PHILIPS	12W	3000K 4000K 6000K	90+	1272Lm	Ø75	W94 H111	15~60°
JBR 20572	PHILIPS	12W	3000K 4000K 6000K	90+	1272Lm	Ø75	Ø94 H111	15~60°

SPOT LIGHT

led commercial lighting series




Dimensions





JBR 20581 B/W



JBR 20582 B/W



Item No.	Chip	Watts	C.C.T	CRI	Lumens		Size (mm)	
JBR 20581B/W	PHILIPS	6W	3000K 4000K 6000K	90+	636Lm	Ø55	Ø63 H44	24°/55°
JBR 20582B/W	PHILIPS	10W	3000K 4000K 6000K	90+	1060Lm	Ø75	Ø85 H52	24°/55°



55°為特規產品，恕不退貨



Honeycomb diffuser



Dimensions





JBR 20591 B/W



JBR 20592 B/W



Item No.	Chip	Watts	C.C.T			CRI	Lumens		Size (mm)	
JBR 20591B/W	PHILIPS	6W	3000K	4000K	6000K	90+	636Lm	Ø55	Ø62 H37	36°
JBR 20592B/W	PHILIPS	8W	3000K	4000K	6000K	90+	848Lm	Ø75	Ø82 H45	36°

DOWN LIGHT

led commercial lighting series




JBR 20601 B/W



JBR 20602 B/W

Dimensions



Item No.	Chip	Watts	C.C.T			CRI	Lumens	Ø	Size (mm)	▲
JBR 20601B/W	PHILIPS	6W	3000K	4000K	6000K	90+	636Lm	Ø60	Ø68 H36	24°
JBR 20602B/W	PHILIPS	8W	3000K	4000K	6000K	90+	848Lm	Ø75	Ø90 H40	24°





JBR 20611



JBR 20612

Dimensions



Item No.	Chip	Watts	C.C.T	CRI	Lumens		Size (mm)	
JBR 20611	PHILIPS	12W	3000K 4000K 6000K	90+	1272Lm	Ø75	Ø86 H73	30°
JBR 20612	PHILIPS	12W	3000K 4000K 6000K	90+	1272Lm	Ø75	Ø86 H73	30°

DOWN LIGHT

led commercial lighting series




JBR 20621 B/W




JBR 20622 B/W

Dimensions




Ø75




Ø95



Item No.	Chip	Watts	C.C.T	CRI	Lumens		Size (mm)
JBR 20621B/W	PHILIPS	10W	3000K 4000K 6000K	90+	1060Lm	Ø75	Ø90 H91
JBR 20622B/W	PHILIPS	16W	3000K 4000K 6000K	90+	1696Lm	Ø95	Ø112 H104





Dimensions



JBR 20631 B/W



JBR 20632 B/W


Item No.	Chip	Watts	C.C.T	CRI	Lumens		Size (mm)	
JBR 20631B/W	PHILIPS	8W	3000K 4000K 6000K	90+	848Lm	Ø75	Ø85 H59	45°
JBR 20632B/W	PHILIPS	15W	3000K 4000K 6000K	90+	1590Lm	Ø95	Ø105 H71	45°

DOWN LIGHT

led commercial lighting series



Dimensions



Ø90~95




JBR 20641

JBR 20642

Item No.	Chip	Watts	C.C.T			CRI	Lumens	Ø	Size (mm)	▲
JBR 20641	PHILIPS	12W	3000K	4000K	6000K	90+	1272Lm	Ø90~95	Ø103 H57	45°
JBR 20642	PHILIPS	12W	3000K	4000K	6000K	90+	1272Lm	Ø90~95	Ø103 H57	45°



Dimensions



Ø90~95



JBR 20651

JBR 20652


Item No.	Chip	Watts	C.C.T	CRI	Lumens	Ø	Size (mm)
JBR 20651	OSRAM	12W	3000K 4000K 6000K	80+	1296Lm	Ø90~95	Ø103 H57
JBR 20652	OSRAM	12W	3000K 4000K 6000K	80+	1296Lm	Ø90~95	Ø103 H57

DOWN LIGHT


led commercial lighting series



Dimensions




WH



Item No.	Chip	Watts	C.C.T	CRI	Lumens		Size (mm)
JBR 20661	OSRAM	15W	3000K 4000K 6000K	80+	1620Lm	Ø95	Ø130 H72
JBR 20662	OSRAM	20W	3000K 4000K 6000K	80+	2160Lm	Ø120	Ø140 H78
JBR 20663	OSRAM	25W	3000K 4000K 6000K	80+	2700Lm	Ø150	Ø183 H83



Dimensions



WH


Item No.	Chip	Watts	C.C.T	CRI	Lumens		Size (mm)	
JBR 20671	PHILIPS	15W	3000K 4000K 6000K	90+	1590Lm	Ø95	Ø113 H69	36°
JBR 20672	PHILIPS	20W	3000K 4000K 6000K	90+	2120Lm	Ø120	Ø138 H73	36°
JBR 20673	PHILIPS	25W	3000K 4000K 6000K	90+	2650Lm	Ø150	Ø183 H78	36°



DOWN LIGHT

led commercial lighting series





Dimensions





Item No.	Chip	Watts	C.C.T	CRI	Lumens		Size (mm)	
JBR 20681	PHILIPS	15W	3000K 4000K 6000K	90+	1590Lm	Ø95	Ø109 H61	50°
JBR 20682	PHILIPS	20W	3000K 4000K 6000K	90+	2120Lm	Ø120	Ø129 H75	50°
JBR 20683	PHILIPS	25W	3000K 4000K 6000K	90+	2650Lm	Ø150	Ø160 H85	50°



Dimensions



Item No.	Chip	Watts	C.C.T	CRI	Lumens		Size (mm)	
JBR 20691	PHILIPS	12W	3000K 4000K 6000K	90+	1272Lm	Ø95	Ø111 H64	55°
JBR 20692	PHILIPS	16W	3000K 4000K 6000K	90+	1696Lm	Ø120	Ø133 H79	55°
JBR 20693	PHILIPS	20W	3000K 4000K 6000K	90+	2240Lm	Ø150	Ø165 H89	55°

DOWN LIGHT

led commercial lighting series



JBR 20701



JBR 20702







JBR 20703





JBR 20704

Dimensions



WH

Item No.	Chip	Watts	C.C.T	CRI	Lumens		Size (mm)	
JBR 20701	PHILIPS	8W	3000K 4000K 6000K	90+	848Lm	Ø75	Ø90 H59	36°
JBR 20702	PHILIPS	12W	3000K 4000K 6000K	90+	1060Lm	Ø95	Ø114 H69	36°
JBR 20703	PHILIPS	8W	3000K 4000K 6000K	90+	848Lm	Ø75	Ø90 H59	--
JBR 20704	PHILIPS	12W	3000K 4000K 6000K	90+	1060Lm	Ø95	Ø114 H59	--



JBR 20711



JBR 20712







JBR 20713





JBR 20714

Dimensions



BK


Item No.	Chip	Watts	C.C.T	CRI	Lumens		Size (mm)	
JBR 20711	PHILIPS	8W	3000K 4000K 6000K	90+	848Lm	Ø75	Ø90 H59	36°
JBR 20712	PHILIPS	12W	3000K 4000K 6000K	90+	1060Lm	Ø95	Ø114 H69	36°
JBR 20713	PHILIPS	8W	3000K 4000K 6000K	90+	848Lm	Ø75	Ø90 H59	--
JBR 20714	PHILIPS	12W	3000K 4000K 6000K	90+	1060Lm	Ø95	Ø114 H69	--

DOWN LIGHT

led commercial lighting series




JBR 20721



Ø 95mm





JBR 20722




Ø 95mm

Dimensions


Item No.	Chip	Watts	C.C.T	CRI	Lumens		Size (mm)	
JBR 20721	PHILIPS	10W	3000K 4000K 6000K	90+	1060Lm	Ø95	Ø111 H57	25°
JBR 20722	PHILIPS	10W	3000K 4000K 6000K	90+	1060Lm	Ø95	Ø111 H57	25°



Dimensions




Ø 75mm



Ø 95mm




Item No.	Chip	Watts	C.C.T	CRI	Lumens		Size (mm)
JBR 20731	OSRAM	10W	3000K 4000K 6000K	80+	1080Lm	Ø75	Ø85 H45
JBR 20732	OSRAM	15W	3000K 4000K 6000K	80+	1620Lm	Ø95	Ø115 H76

SPOT LIGHT


led commercial lighting series




Dimensions





JBR 20741
可訂製 CRI 97



JBR 20742
可訂製 CRI 97




JBR 20743


Item No.	Chip	Watts	C.C.T	CRI	Lumens		Size (mm)	
JBR 20741	PHILIPS	8W	3000K 4000K 6000K	90+	848Lm	Ø75	Ø85 H100	36°
JBR 20742	PHILIPS	12W	3000K 4000K 6000K	90+	1272Lm	Ø90	Ø98 H1120	36°
JBR 20743	PHILIPS	20W	3000K 4000K 6000K	90+	2120Lm	Ø120	Ø130 H135	36°




Dimensions



JBR 20751
可訂製 CRI 97





JBR 20752
可訂製 CRI 97



JBR 20753




Item No.	Chip	Watts	C.C.T	CRI	Lumens		Size (mm)	
JBR 20751	PHILIPS	8W	3000K 4000K 6000K	90+	848Lm	Ø75	Ø85 H100	36°
JBR 20752	PHILIPS	12W	3000K 4000K 6000K	90+	1272Lm	Ø90	Ø98 H120	36°
JBR 20753	PHILIPS	20W	3000K 4000K 6000K	90+	2120Lm	Ø120	Ø130 H135	36°

SPOT LIGHT


led commercial lighting series



Dimensions





JBR 20761B/W




JBR 20762B/W




Item No.	Chip	Watts	C.C.T			CRI	Lumens		Size (mm)	
JBR 20761B/W	PHILIPS	10W	3000K	4000K	6000K	90+	1060Lm	Ø75	Ø89 H75	24°
JBR 20762B/W	PHILIPS	16W	3000K	4000K	6000K	90+	1696Lm	Ø95	Ø101 H80	24°

Dimensions




JBR 20771B

Dimensions




JBR 20771W

Dimensions



JBR 20772B
(配置MR16)


Dimensions



JBR 20772W
(配置MR16)



Installation steps :



Item No.	Chip	Watts	C.C.T			CRI	Lumens		Size (mm)	
JBR 20771B/W	PHILIPS	10W	3000K	4000K	6000K	90+	1060Lm	Ø75	Ø65 L128 H85	30°
JBR 20772B/W	PHILIPS	6W	3000K	4000K	6000K	90+	636Lm	Ø75	Ø95 H132	25°

SPOT LIGHT

led commercial lighting series



Dimensions



玫瑰金

JBR 20781



鍍鉻

JBR 20782





槍灰色

JBR 20783



黑色

JBR 20784

Item No.	Chip	Watts	C.C.T			CRI	Lumens		Size (mm)	
JBR 20781~4	PHILIPS	12W	3000K	4000K	6000K	90+	1272Lm	Ø75	Ø85 H76	24°



JBR 20791

材質：鋁材
尺寸：Ø82 H49 mm
嵌孔：Ø75 mm
(可適用 MR16)



JBR 20792

材質：鋁材
尺寸：Ø82 H49 mm
嵌孔：Ø75 mm
(可適用 MR16)



JBR 20793

材質：鋁材
尺寸：Ø82 H49 mm
嵌孔：Ø75 mm
(可適用 MR16)



M101

光源：**OSRAM**
尺寸：Ø49 H34mm
功率：5W
通光量：540 Lm
光色：3000K / 4000K / 6000K
材質：鋁材
演色性：CRI > 80
可選黑殼 / 白殼



MR16

光源：**PHILIPS**
尺寸：Ø49 H61mm
功率：6W
通光量：636 Lm
光色：3000K / 4000K / 6000K
材質：鋁材
發光角度：25°
演色性：CRI > 90
可選槍灰 / 白殼



M65 可訂製 CRI 97

光源：**PHILIPS**
尺寸：Ø50 H65mm
功率：8W
通光量：848 Lm
光色：3000K / 4000K / 6000K
材質：壓鑄鋁
發光角度：24°/36°
演色性：CRI > 90




M90 可訂製 CRI 97

光源：**PHILIPS**
尺寸：Ø50 H90mm
功率：12W
通光量：1272 Lm
光色：3000K / 4000K / 6000K
材質：壓鑄鋁
發光角度：24°/36°
演色性：CRI > 90

DOWN LIGHT


led commercial lighting series




JBR 20801
 材質：鋁材
 尺寸：Ø82 H42 mm
 嵌入孔：Ø80 mm
 (可適用 MR16)




JBR 20802
 材質：鋁材
 尺寸：Ø82 H42 mm
 嵌入孔：Ø80 mm
 (可適用 MR16)



JBR 20803
 材質：鋁材
 尺寸：Ø105 H50 mm
 嵌入孔：Ø85 mm
 (可適用 MR16)




JBR 20804
 材質：鋁材
 尺寸：Ø105 H50 mm
 嵌入孔：Ø85 mm
 (可適用 MR16)




JBR 20811

材質：鋁材
尺寸：Ø80 H40 mm
嵌入孔：Ø75 mm
(可適用 MR16)




JBR 20812

材質：鋁材
尺寸：Ø80 H40 mm
嵌入孔：Ø75 mm
(可適用 MR16)



JBR 20813

材質：鋁材
尺寸：Ø105 H50 mm
嵌入孔：Ø95 mm
(可適用 MR16)



JBR 20814

材質：鋁材
尺寸：Ø105 H50 mm
嵌入孔：Ø95 mm
(可適用 MR16)



M101

光源：**OSRAM**
尺寸：Ø49 H34mm
功率：5W
通光量：540 Lm
光色：3000K / 4000K / 6000K
材質：鋁材
演色性：CRI>80
可選黑殼 / 白殼



MR16

光源：**PHILIPS**
尺寸：Ø49 H61mm
功率：6W
通光量：630 Lm
光色：3000K / 4000K / 6000K
材質：鋁材
發光角度：25°
演色性：CRI>90
可選槍灰 / 白殼



M65 可訂製 CRI 97

光源：**PHILIPS**
尺寸：Ø50 H65mm
功率：8W
通光量：848 Lm
光色：3000K / 4000K / 6000K
材質：壓鑄鋁
發光角度：24°/36°
演色性：CRI>90




M90 可訂製 CRI 97

光源：**PHILIPS**
尺寸：Ø50 H90mm
功率：12W
通光量：1272 Lm
光色：3000K / 4000K / 6000K
材質：壓鑄鋁
發光角度：24°/36°
演色性：CRI>90


DOWN LIGHT

led commercial lighting series



JBR 20821 S

材質：鋁材
尺寸：Ø80 H42 mm
嵌入孔：Ø75 mm
(可適用 MR16)




JBR 20822 S

材質：鋁材
尺寸：Ø80 H42 mm
嵌入孔：Ø75 mm
(可適用 MR16)




JBR 20821 M

材質：鋁材
尺寸：Ø92 H42 mm
嵌入孔：Ø85 mm
(可適用 MR16)




JBR 20822 M

材質：鋁材
尺寸：Ø92 H42 mm
嵌入孔：Ø85 mm
(可適用 MR16)



JBR 20821 L

材質：鋁材
尺寸：Ø100 H42 mm
嵌入孔：Ø95 mm
(可適用 MR16)



JBR 20822 L

材質：鋁材
尺寸：Ø100 H42 mm
嵌入孔：Ø95 mm
(可適用 MR16)



PC diffuser
可加 PC 罩





旋轉式面蓋
不易鬆脫 易拆裝
(取代傳統固定鐵環)



JBR 20831

材質: 鋁材
尺寸: Ø88 H35 mm
嵌孔: Ø75 mm
(可適用 MR16)



JBR 20832

材質: 鋁材
尺寸: Ø85 H33 mm
嵌孔: Ø75 mm
(可適用 MR16)



JBR 20833

材質: 鋁材
尺寸: Ø85 H33 mm
嵌孔: Ø75 mm
(可適用 MR16)



M101

光源: **OSRAM**
尺寸: Ø49 H34mm
功率: 5W
通光量: 540 Lm
光色: 3000K / 4000K / 6000K
材質: 鋁材
演色性: CRI > 80
可選黑殼 / 白殼



MR16

光源: **PHILIPS**
尺寸: Ø49 H61mm
功率: 6W
通光量: 636 Lm
光色: 3000K / 4000K / 6000K
材質: 鋁材
發光角度: 25°
演色性: CRI > 90
可選槍灰 / 白殼



M65 可訂製 CRI 97

光源: **PHILIPS**
尺寸: Ø50 H65mm
功率: 8W
通光量: 848 Lm
光色: 3000K / 4000K / 6000K
材質: 壓鑄鋁
發光角度: 24°/36°
演色性: CRI > 90




M90 可訂製 CRI 97

光源: **PHILIPS**
尺寸: Ø50 H90mm
功率: 12W
通光量: 1272 Lm
光色: 3000K / 4000K / 6000K
材質: 壓鑄鋁
發光角度: 24°/36°
演色性: CRI > 90


AR-111 DOWN LIGHT

led commercial lighting series




JBR 20841

材質: 鋁材
尺寸: Ø160 H80 mm
嵌孔: Ø150 mm




JBR 20842

材質: 鋁材
尺寸: Ø160 H80 mm
嵌孔: Ø150 mm



JA 12238 W

光源: PHILIPS
尺寸: Ø111 H50mm
功率: 12W
通光量: 1272 Lm
光色: 3000K/ 4000K/ 6000K
材質: 鋁材
發光角度: 36°
演色性: CRI>90



JA 12238 B

光源: PHILIPS
尺寸: Ø111 H50mm
功率: 12W
通光量: 1272 Lm
光色: 3000K/ 4000K/ 6000K
材質: 鋁材
發光角度: 36°
演色性: CRI>90



JA 1662 W

光源: PHILIPS
尺寸: Ø111 H50mm
功率: 16W
通光量: 1696 Lm
光色: 3000K/ 4000K/ 6000K
材質: 壓鑄鋁
發光角度: 24°
演色性: CRI>90



JA 1662 B

光源: PHILIPS
尺寸: Ø111 H50mm
功率: 16W
通光量: 1696 Lm
光色: 3000K/ 4000K/ 6000K
材質: 壓鑄鋁
發光角度: 24°
演色性: CRI>90